



Two Helical Holes 40 Degree


Metric size:6mm-25mm, Grade UX10, Type D2U40



Item No.	Specification	OD(mm)	Length(mm)	Pitch(mm)	ID(mm)
D2U40-0630-330mm	$\Phi 6.3 \times 330\text{mm}$	6.3	330	1.9	0.7
D2U40-0830-330mm	$\Phi 8.3 \times 330\text{mm}$	8.3	330	2.4	0.65
D2U40-1030-330mm	$\Phi 10.3 \times 330\text{mm}$	10.3	330	3.1	0.8
D2U40-1230-330mm	$\Phi 12.3 \times 330\text{mm}$	12.3	330	3.8	0.9
D2U40-1430-330mm	$\Phi 14.3 \times 330\text{mm}$	14.3	330	4.3	1
D2U40-1630-330mm	$\Phi 16.3 \times 330\text{mm}$	16.3	330	5.1	1.2
D2U40-1830-330mm	$\Phi 18.3 \times 330\text{mm}$	18.3	330	5.9	1.4
D2U40-2030-330mm	$\Phi 20.3 \times 330\text{mm}$	20.3	330	6.6	1.5
D2U40-2230-330mm	$\Phi 22.3 \times 330\text{mm}$	22.3	330	7.2	1.7
D2U40-2530-330mm	$\Phi 25.3 \times 330\text{mm}$	25.3	330	7.6	1.75

Two Helical Holes 30 Degree


Metric size:6mm-25mm, Grade UX10,Type D2U30



Item No.	Specification	OD(mm)	Length(mm)	Pitch(mm)	ID(mm)
D2U30-0430-330mm	$\Phi 4.3 \times 330\text{mm}$	4.3	330	2.1	0.6
D2U30-0630-330mm	$\Phi 6.3 \times 330\text{mm}$	6.3	330	2.4	0.7
D2U30-0730-330mm	$\Phi 7.3 \times 330\text{mm}$	7.3	330	3.5	1.0
D2U30-0830-330mm	$\Phi 8.3 \times 330\text{mm}$	8.3	330	3.8	1.0
D2U30-0930-330mm	$\Phi 9.3 \times 330\text{mm}$	9.3	330	4.5	1.4
D2U30-1030-330mm	$\Phi 10.3 \times 330\text{mm}$	10.3	330	4.5	1.4
D2U30-1130-330mm	$\Phi 11.3 \times 330\text{mm}$	11.3	330	4.9	1.4
D2U30-1230-330mm	$\Phi 12.3 \times 330\text{mm}$	12.3	330	5.85	1.4
D2U30-1330-330mm	$\Phi 13.3 \times 330\text{mm}$	13.3	330	6.1	1.75
D2U30-1430-330mm	$\Phi 14.3 \times 330\text{mm}$	14.3	330	6.7	1.75
D2U30-1530-330mm	$\Phi 15.3 \times 330\text{mm}$	15.3	330	7.3	1.75
D2U30-1630-330mm	$\Phi 16.3 \times 330\text{mm}$	16.3	330	7.9	1.75
D2U30-1730-330mm	$\Phi 17.3 \times 330\text{mm}$	17.3	330	8.5	1.75
D2U30-1830-330mm	$\Phi 18.3 \times 330\text{mm}$	18.3	330	9.15	2.0
D2U30-1930-330mm	$\Phi 19.3 \times 330\text{mm}$	19.3	330	9.7	2.0
D2U30-2030-330mm	$\Phi 20.3 \times 330\text{mm}$	20.3	330	9.9	2.0
D2U30-2230-330mm	$\Phi 22.3 \times 330\text{mm}$	22.3	330	11.1	2.0
D2U30-2530-330mm	$\Phi 25.3 \times 330\text{mm}$	25.3	330	12.8	2.0

Two Helical Holes 30 Degree

Metric size:6mm-20mm, Grade UX10,Type D3U40



Item No.	Specification	OD(mm)	Length(mm)	Pitch(mm)	ID(mm)
D3U30-0630-330mm	$\Phi 6.3 \times 330\text{mm}$	6.3	330	2.75	0.5
D3U30-0830-330mm	$\Phi 8.3 \times 330\text{mm}$	8.3	330	3.85	0.7
D3U30-1030-330mm	$\Phi 10.3 \times 330\text{mm}$	10.3	330	4.95	0.85
D3U30-1230-330mm	$\Phi 12.3 \times 330\text{mm}$	12.3	330	6.05	1.1
D3U30-1430-330mm	$\Phi 14.3 \times 330\text{mm}$	14.3	330	7.05	1.4
D3U30-1630-330mm	$\Phi 16.3 \times 330\text{mm}$	16.3	330	8.05	1.6
D3U30-1830-330mm	$\Phi 18.3 \times 330\text{mm}$	18.3	330	9.25	1.7
D3U30-2030-330mm	$\Phi 20.3 \times 330\text{mm}$	20.3	330	9.85	1.9